

SINTERED STONE

COLLECTION



LIFETIME
Bath & Kitchen

Perfection

— THAT IS FLAWLESS

EDGE PROFILES



FULL BULLNOSE



DEMI BULLNOSE



1/2" BEVEL T&B



1/2" ROUND T&B



1/2" BEVEL



1/2" BULLNOSE



FULL BULLNOSE
WITH ACRYLIC LINING



SPILL FREE EDGING

STRENGTH & BEAUTY

TOGETHER



THICKNESS

15mm

Design with shapes.

Applications



KITCHEN COUNTER TOP

Tiles serve not only as a design element but also as a surface for food preparation in kitchen, which can instantly become a part of modern kitchen counter tops.

FRAMING

Motto Tiles is adamant on making every inch of your space an aesthetic spectacle. Motto's tiles are highly versatile and can also be applied in terraces and balconies for the best experience.



Full Customizable.



STEP & RISER

Gone are the times when you had to lay ordinary tiles on your steps. We have developed a dedicated range of tiles, which is the perfect solution for your steps and risers.

OUTDOOR FURNITURE

Motto tiles can easily face temperature fluctuations and can also withstand severe weather conditions, making them perfect as a surface covering option for modern outdoor furniture.



Strength & Beauty Together.



IN/OUT DOOR TABLE

Made up of special technology and materials, the formula surface is ideal for application on indoor or outdoor table tops. The tiles are very abrasion resistant and can withstand harsh conditions.

BATHROOM VANITY TOP

Only a few special tile surfaces can be applied in bathrooms because of the high moisture presence. Motto's tiles are extremely water-resistant and ensure major slipping accidents are avoided with its specially treated surfaces.



SINTERED STONE



CRYSTAL WHITE

15mm


COLOUR
BODY

THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY
MATT

SINTERED STONE



IVORY

↓
↑
15mm


FULL
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY
MATT

SINTERED STONE



CRYSTALBLACK

15mm


COLOUR
BODY

THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY
MATT

SINTERED STONE



LIGHT GREY

↓
↑
15mm


FULL
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY
MATT

SINTERED STONE



DARK GREY

15mm

FULL
BODY

THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY
MATT

SINTERED STONE



WALNUT

15mm

**FULL
BODY**

↑
THICKNESS

**SIZE
800X2400MM**

**FINISH
GLOSSY
MATT**

SINTERED STONE



CHOCO

15mm

FULL
BODY

THICKNESS

SIZE
800X2400MM


FINISH
GLOSSY
MATT




CRYSTAL
WHITE




IVORY




CRYSTAL
BLACK




LIGHT GREY



DARK GREY




WALNUT



CHOCO

SINTERED STONE



GALAXY WHITE

15mm

FULL
BODY

THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE



GALAXY IVORY

↓
↑
15mm


FULL
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE



S N P BROWN

↓
↑
15mm


FULL
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED **STONE**



S N P BEIGE

↓
↑
15mm


**FULL
BODY**

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE



S N P VERDE

↓
↑
15mm


FULL
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE



S N P GREY

↓
↑
15mm


FULL
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE



S N P BLACK

↓
↑
15mm

FULL
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY


SINTERED STONE



GALAXY
WHITE



GALAXY
IVORY



SNP
BROWN



SNP
BEIGE



SNP
VERDE




SNP
GREY



SNP
BLACK

C r e a t i v e
F r e e d o m

SINTERED STONE



PORTORO BLACK

15mm


COLOUR
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE



PORTORO GOLD

↓
↑
15mm

COLOUR
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE



SAINT LOURENT

15mm


COLOUR
BODY

THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE



THUNDER LIGHTNING

15mm


COLOUR
BODY

THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE



FANTASY BLACK

15mm


COLOUR
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE



VOLGA BLUE

↓
↑
15mm


COLOUR
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE



VIVANTA GREEN

15mm


COLOUR
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE



INFINITO GREY

15mm


COLOUR
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE



PANDA BLACK

↓
↑
15mm


COLOUR
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED **STONE**



AMBRATO NERO

15mm


COLOUR
BODY

↑
THICKNESS

SIZE
800X2400MM

FINISH
GLOSSY

SINTERED STONE




STATUARIO VOLAKAS

15mm

COLOUR
BODY

FINISH
GLOSSY

SIZE
800X2400MM



RANDOM FACE

SINTERED STONE



RED SPIDER

15mm

COLOUR
BODY


FINISH
GLOSSY

SIZE
800X2400MM



RANDOM FACE

SINTERED STONE



DIAMOND GOLD

↓
↑
15mm

COLOUR
BODY

FINISH
GLOSSY

SIZE
800X2400MM



RANDOM FACE

APPLICATION AREA




KITCHEN UNIT TOP



WORK TOP



TERRACES



STEP & RISER



CORRIDORS & HALLS




FLOORING HEAVY TRAFFIC AREA



FURNITURES



BATH TUB



INTERIOR



DINING TABLE



WASH BASIN




PUBLIC PARKS & GARDEN


SINTERED STONE

DIFFERENCE BETWEEN SINTERED STONE V/S GRANITE

	SINTERED STONE	GRANITE
MAINTENANCE	LOW	HIGH
PRICE	LOW	HIGH
POROSITY	LESS	HIGH
FIXING COST	LOW	HIGH
SURFACE HARDNESS	HIGH	LESSER LOW
COLOUR CONSISTENCY	CONSTANT	VARIABLE
STRENGTH	HIGH	LOWER
STAIN RESISTANCE	RESISTANT	NO RESISTANT



Edge Profiles



Technical Specification

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
-----------------	---	--------	-------------

REGULATORY PROPERTIES

Deviation in Length & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	5.0%	3.0%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter

STRUCTURAL PROPERTIES

Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES

Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5

SURFACE MECHANICAL PROPERTIES

Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101

THERMO HYGROMETRIC PROPERTIES

Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 ⁻⁶	Max 6.5x10 ⁻⁶	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11

CHEMICAL PROPERTIES

Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14

SAFETY PROPERTIES

Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

PACKING DETAILS

TILE SIZE	THICKNESS (approx.)	NO. OF TILES/BOX	WEIGHT/BOX (approx.)	COVERAGE AREA
800 X 2400	15 MM	1 Pcs	70 kg.	20.67 Sq. Ft.

MARKETED BY



  @lifetimebath

Website : www.lifetimebath.in

Mobile : +91 78777 57584

Address : 51, New Atish Market, Mansarovar, Jaipur